Nuclear Engineering and Design 132 (1992) 457–459
North-Holland

Author Index to Volume 132

Ahmadi, G. and L. Su, Equipment response spectra for base-isolated shear beam structures 132 (1992) 287
Ankney, R.D., see Hochreiter, L.E. 132 (1992) 437
Arai, T., see Iyoku, T. 132 (1991) 23

Baba, O., see Hada, K. 132 (1991) 13
Bae, T.M., see Chang, S.H. 132 (1991) 225
Baek, W.-P., see Chang, S.H. 132 (1991) 225
Barakat, A.-R.I. and N.E. Todreas, Mixed convection recirculation flow in a vertical single-rod channel connected to an upper plenum 132 (1992) 317
Boyack, B.E., see Wilson, G.E. 132 (1992) 431
Breitbach, G., see Schubert, F. 132 (1991) 75
Brittain, I., see Wickett, A.J. 132 (1992) 405

Calastri, A., see D'Auria, F. 132 (1991) 187
Catton, I., see Wilson, G.E. 132 (1992) 431
Chang, S.H., W.-P. Baek and T.M. Bae, A study of critical heat flux for low flow of water in vertical round tubes under low pressure 132 (1991) 225
Chen, W.-H. and C.-C. Huang, Three-dimensional thermoelastic analysis of a cylindrical pipe with an internal surface crack under convection cooling 132 (1991) 143
Cheng, S.C., see Vasić, A. 132 (1992) 367
Chirlesan, D., see Mehedinteanu, S. 132 (1991) 133
Congleton, J., B. Hemsworth, R.N. Parkins and P.M. Singh, Effects of heat treatments on the stress corrosion crackingof alloy 600 in high temperature waters 132 (1991) 119
Converti, J., see Guido, G. 132 (1991) 277

D'Auria, F., G.M. Galassi, P. Vigni and A. Calastri, Scaling of natural circulation in PWR systems 132 (1991) 187
Daxin, Z., see Dazhong, W. 132 (1991) 95
Dazhong, W., Z. Daxin and X. Yuanhui, The Status of HTGR Research and Development in China 132 (1991) 95
Deaconu, L., see Mehedinteanu, S. 132 (1991) 133
Duffey, R.B., see Wilson, G.E. 132 (1992) 431
Dumm, K., see Neumann, G. 132 (1991) 63

Ebadian, M.A., see MacGrath, D. 132 (1992) 393

Fabrizi, F., M. Sala and G. Hetsroni, Dynamic behavior of a steam generator 132 (1991) 207
Fujishiro, T., see Katanishi, S. 132 (1991) 239
Fujita, S., see Shindo, M. 132 (1991) 39
Fukuda, K., see Ogawa, T. 132 (1991) 31
Furutani, A., S. Imahori, K. Sato and M. Saito, Erosion behavior of a solid plate by a liquid jet – Effect of molten layer 132 (1991) 153
Furutani, A., see Sato, K. 132 (1991) 171

Galassi, G.M., see D'Auria, F. 132 (1991) 187
Griffith, P., see Wilson, G.E. 132 (1992) 431
Groeneveld, D.C., see Vasić, A. 132 (1992) 367
Guellouz, M.S. and S. Tavoularis, Heat transfer in rod bundle subchannels with varying . rod–wall proximity 132 (1992) 351
Guido, G. and J. Converti, Experimental study on density-wave oscillations in two identical channels 132 (1991) 277

Hada, K., I. Nishiguchi, Y. Muto and H. Tsuji, Developments of metallic materials and a high-temperature structural design code for the HTTR 132 (1991) 1
Hada, K., M. Ohkubo and O. Baba, Application of new design methodologies to very high-temperature metallic components of the HTTR 132 (1991) 13
Heidt, K., see Neumann, G. 132 (1991) 63
Hemsworth, B., see Congleton, J. 132 (1991) 119
Hetsroni, G., see Fabrizi, F. 132 (1991) 207
Hochreiter, L.E., Comments on 'Quantifying Reactor Safety Margins' (Letter to the editors) 132 (1992) 409
Hochreiter, L.E., R.D. Ankney, M.Y. Young and S.P. Kalra, Application of PWR LOCA margin with the revised Appendix K rule 132 (1992) 437
Hofer, E., H. Karwat and W. Werner, Comments on 'Quantifying Reactor Safety Margins' (Letter to the editors) 132 (1992) 411
Holmström, H. and H. Tuomisto, Applicability of the CSAU methodology to safety assessments (Letter to the editors) 132 (1992) 415
Huang, C.-C., see Chen, W.-H. 132 (1991) 143

Imahori, S., see Furutani, A. 132 (1991) 153
Imahori, S., see Sato, K. 132 (1991) 171

Ishihara, M., see Iyoku, T. 132 (1991) 23
Isozaki, M., see Sato, K. 132 (1991) 171
Iyoku, T., S. Shiozawa, M. Ishihara, T. Arai and T. Oku, Graphite core structures and their structural design criteria in the HTTR 132 (1991) 23

Kalra, S.P., see Hochreiter, L.E. 132 (1992) 437
Karwat, H., see Hofer, E. 132 (1992) 411
Katanishi, S., M. Sobajima and T. Fujishiro, Quenching degradation in-pile experiment on an oxidized fuel rod in the temperature range of 1000 to 1260 °C 132 (1991) 239
Katsma, K.R., see Wilson, G.E. 132 (1992) 431
Kjaer-Pedersen, N., see Montgomery, R.O. 132 (1992) 309
Kobayashi, F., see Ogawa, T. 132 (1991) 31
Koizumi, Y., H. Kumamaru, Y. Mimura, H. Murakami and K. Tasaka, Pool-boiling/bubbling void fraction in an annular flow channel 132 (1992) 381
Kumamaru, H., see Koizumi, Y. 132 (1992) 381
Kunitomi, K., see Shindo, M. 132 (1991) 39

Langhans, J., Testing, verification and application of CONTAIN for severe accident analysis of LMFBR-containments 132 (1991) 101
Lellouche, G.S., see Wilson, G.E. 132 (1992) 431
Levy, S., see Wilson, G.E. 132 (1992) 431
Liao, L.-Y., Study and application of boiling water reactor jet pump characteristic 132 (1992) 339

MacGrath, D., G. Yang and M.A. Ebadian, Conjugated heat transfer in a concentric annular pipe 132 (1992) 393
Mehedinteanu, S., L. Deaconu and D. Chirlesan, A model of failure criteria based on the bifurcation theory for nuclear fuel element cladding 132 (1991) 133
Mimura, Y., see Koizumi, Y. 132 (1992) 381
Montgomery, R.O., Y.R. Rashid and N. Kjaer-Pedersen, Theoretical evaluation of rifled cladding for LWR fuel. A study based on the computer codes INTERPIN and FREY-01 132 (1992) 309
Murakami, H., see Koizumi, Y. 132 (1992) 381
Muto, Y., see Hada, K. 132 (1991) 1

Neumann, G., K. Heidt, K. Dumm and H. Rothfuß, The HTR module pressure vessel unit, design criteria and safety philosophy 132 (1991) 63
Nickel, H., see Schubert, F. 132 (1991) 75
Nishiguchi, I., see Hada, K. 132 (1991) 1

Obata, M., see Ogawa, T. 132 (1991) 31
Oberpichler, R., Design criteria for liners of concrete vessels of future HTRs 132 (1991) 47
Ogawa, T., F. Kobayashi, T. Tobita, K. Fukuda, T. Saitoh, I. Yokouchi and M. Obata, Release of short-lived noble gases from HTGR fuel with failed coated fuel particles and contaminated matrix 132 (1991) 31
Ohkubo, M., see Hada, K. 132 (1991) 13
Okamoto, F., see Shindo, M. 132 (1991) 39
Oku, T., see Iyoku, T. 132 (1991) 23

Parkins, R.N., see Congleton, J. 132 (1991) 119
Petrangeli, G., Comments on "Quantifying Reactor Safety Margins" (Letter to the editors) 132 (1992) 419

Rashid, Y.R., see Montgomery, R.O. 132 (1992) 309
Rohatgi, U.S., see Wilson, G.E. 132 (1992) 431
Rothfuß, H., see Neumann, G. 132 (1991) 63
Rummens, H.E.C., see Sugawara, S. 132 (1991) 253

Saito, M., see Furutani, A. 132 (1991) 153
Saito, M., see Sato, K. 132 (1991) 171
Saito, S., T. Tanaka and Y. Sudo, Present status of the High Temperature Engineering Test Reactor (HTTR) 132 (1991) 85
Saitoh, T., see Ogawa, T. 132 (1991) 31
Sakai, T., see Sugawara, S. 132 (1991) 253
Sala, M., see Fabrizi, F. 132 (1991) 207
Sato, K., see Furutani, A. 132 (1991) 153
Sato, K., A. Furutani, M. Saito, M. Isozaki, K. Suganuma and S. Imahori, Melting attack of solid plates by a high-temperature liquid jet [II] – Erosion behavior by a molten metal jet 132 (1991) 171
Sawa, K., see Shindo, M. 132 (1991) 39
Schimmelpfennig, K., Design criteria for prestressed concrete pressure vessels for High Temperature Reactors 132 (1991) 53
Schubert, F., H. Nickel and G. Breitbach, Structural design criteria for HTR – a summary report – 132 (1991) 75
Shiba, M., Commments on "Quantifying Reactor Safety Margins" (Letter to the editors) 132 (1992) 423
Shindo, M., F. Okamoto, K. Kunitomi, S. Fujita and K. Sawa, Safety characteristics of the High Temperature Engineering Test Reactor 132 (1991) 39
Shiozawa, S., see Iyoku, T. 132 (1991) 23
Singh, P.M., see Congleton, J. 132 (1991) 119
Sobajima, M., see Katanishi, S. 132 (1991) 239
Su, L., see Ahmadi, G. 132 (1992) 287
Sudo, Y., see Saito, S. 132 (1991) 85
Suganuma, K., see Sato, K. 132 (1991) 171
Sugawara, S., T. Sakai, K. Watanabe and H.E.C. Rummens, Subchannel analysis by the FIDAS code based on the three-fluid model 132 (1991) 253

Sursock, J.-P., Comments on "Quantifying Reactor Safety Margins" (Letter to the editors) 132 (1992) 417

Takeda, H., see Ushijima, S. 132 (1991) 265
Tanaka, N., see Ushijima, S. 132 (1991) 265
Tanaka, T., see Saito, S. 132 (1991) 85
Tasaka, K., see Koizumi, Y. 132 (1992) 381
Tavoularis, S., see Guellouz, M.S. 132 (1992) 351
Tobita, T., see Ogawa, T. 132 (1991) 31
Todreas, N.E., see Barakat, A.-R.I. 132 (1992) 317
Tsuji, H., see Hada, K. 132 (1991) 1
Tuomisto, H., see Holmström, H. 132 (1992) 415

Ushijima, S., H. Takeda and N. Tanaka, Image processing system for velocity measurements in natural convection flows 132 (1991) 265

Vasić, A., S.C. Cheng and D.C. Groeneveld, A comparison of predictions of high-temperature steam properties 132 (1992) 367
Vigni, P., see D'Auria, F. 132 (1991) 187

Watanabe, K., see Sugawara, S. 132 (1991) 253
Werner, W., see Hofer, E. 132 (1992) 411
Wickett, A.J. and I. Brittain, Quantifying reactor safety margins: What remains to be done (Letter to the editors) 132 (1992) 405
Wilson, G.E., B.E. Boyack, I. Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, W. Wulff and N. Zuber, TPG response to the foregoing letters-to-the-editor 132 (1992) 431
Wulff, W., see Wilson, G.E. 132 (1992) 431

Yadigaroglu, G., Comments on "Quantifying Reactor Safety Margins" (Letter to the editors) 132 (1992) 425
Yang, G., see MacGrath, D. 132 (1992) 393
Yokouchi, I., see Ogawa, T. 132 (1991) 31
Young, M.Y., see Hochreiter, L.E. 132 (1992) 437
Yuanhui, X., see Dazhong, W. 132 (1991) 95

Zuber, N., see Wilson, G.E. 132 (1992) 431

Nuclear Engineering and Design 132 (1992) 461–462
North-Holland

Subject Index to Volume 132

Thermal and fluid design

Testing, verification and application of CONTAIN for severe accident analysis of LMFBR-containments, J. Langhans 132 (1991) 101
Erosion behavior of solid plate by a liquid jet – effect of molten layer, A. Furutani, S. Imahori, K. Sato and M. Saito 132 (1991) 153
Melting attack of solid plates by a high temperature liquid jet [II] – Erosion behavior by a molten metal jet, K. Sato, A. Furutani, M. Saito, M. Isozaki, K. Suganuma, S. Imahori 132 (1991) 171
Scaling of natural circulation in PWR systems, A. Calastri, F. D'Auria, G.M. Galassi and P. Vigni 132 (1991) 187
Dynamic behavior of a steam generator, F. Fabrizi, M. Sala and G. Hetsroni 132 (1991) 207
A study of critical heat flux for low flow of water in vertical round tubes under low pressure, S.H. Chang, W.-P. Baek and T.M. Bae 132 (1991) 225
Quenching degradation in-pile experiment on oxidized fuel rod in the temperature range of 1000°C to 1260°C, S. Katanishi, M. Sobajima and T. Fujishiro 132 (1991) 239
Subchannel analysis by the FIDAS code based on the three-fluid model, S. Sugawara, T. Sakai, K. Watanabe and H.E.C. Rummens 132 (1991) 253
Image processing system for velocity measurements in natural convection flows, S. Ushijima, H. Takeda and N. Tanaka 132 (1991) 265
Experimental study on density-wave oscillations in two identical channels, G. Guido and J. Converti 132 (1991) 277
Mixed convection recirculation flow in a vertical single-rod channel connected to an upper plenum, A.-R.I. Barakat and N.E. Todreas 132 (1992) 317
Study and application of boiling water reactor jet pump characteristic, L.-Y. Liao 132 (1992) 339
Heat transfer in rod bundle subchannels with varying rod–wall proximity, M.S. Guellouz and S. Tavoularis 132 (1992) 350
A comparison of predictions of high-temperature steam properties, A. Vasić, S.C. Cheng and D.C. Groeneveld 132 (1992) 367
Pool-boiling/bubbling void fraction in an annular flow channel, Y. Koizumi, H. Kumamaru, Y. Mimura, H. Murakami and K. Tasaka 132 (1992) 381
Conjugated heat transfer in a concentric annular pipe, D. MacGrath, G. Yang and M.A. Ebadian 132 (1992) 393

Engineering mechanics

Developments of metallic materials and a high-temperature structural design code for the HTTR, K. Hada, I. Nishiguchi, Y. Muto and H. Tsuji 132 (1991) 1
A model of failure criteria based on the bifurcation theory for nuclear fuel element cladding, S. Mehedinteanu, L. Deaconu and D. Chirlesan 132 (1991) 133
Three-dimensional thermoelastic analysis of a cylindrical pipe with an internal surface crack under convection cooling, W.H. Chen and C.C. Huang 132 (1991) 143
Equipment response spectra for base-isolated shear beam structures, G. Ahmadi and L. Su 132 (1992) 287

Materials properties

Effects of heat treatments on the stress corrosion cracking of alloy 600 in high temperature waters, J. Congleton, B. Hemsworth, R.N. Parkins and P.M. Singh 132 (1991) 119

Mechanical design, component fabrication and testing

Testing, verification and application of CONTAIN for severe accident analysis of LMFBR-containments, J. Langhans 132 (1991) 101

Reactor concepts and systems analysis

Developments of metallic materials and a high-temperature structural design code for the HTTR, K. Hada, I. Nishiguchi, Y. Muto and H. Tsuji 132 (1991) 1
Application of new design methodologies to very high-temperature metallic components of the HTTR, K. Hada, M. Ohkubo and O. Baba 132 (1991) 13

Graphite core structures and their structural design criteria in the HTTR, T. Iyoku, S. Shiozawa, M. Ishihara, T. Arai and T. Oku 132 (1991) 23
Safety characteristics of the High Temperature engineering Test Reactor, M. Shindo, F. Okamoto, K. Kunitomi, S. Fujita and K. Sawa 132 (1991) 39
Design criteria for liners of concrete vessels of future HTRs, R. Oberpichler 132 (1991) 47
The HTR-module pressure vessel unit; design criteria and safety philosophy, G. Neumann, K. Heidt, K. Dumm and H. Rothfuss 132 (1991) 63
Structural design criteria for HTR – a summary report, F. Schubert, H. Nickel and G. Breitbach 132 (1991) 75
Present status of the High Temperature engineering Test Reactor (HTTR), S. Saito, T. Tanaka and Y. Sudo 132 (1991) 85
The status of HTGR research and development in China, D. Wang, D. Zhong and Y. Xu 132 (1991) 95

Structural design, construction methods and testing

Design criteria for liners of concrete vessels of future HTRs, R. Oberpichler 132 (1991) 47
Design criteria for prestressed concrete pressure vessels for High Temperature Reactors, K. Schimmelpfennig 132 (1991) 53

Radiation shielding

Safety characteristics of the High Temperature engineering Test Reactor, M. Shindo, F. Okamoto, K. Kunitomi, S. Fujita and K. Sawa 132 (1991) 39

Core physics and fuel design

Graphite core structures and their structural design criteria in the HTTR, T. Iyoku, S. Shiozawa, M. Ishihara, T. Arai and T. Oku 132 (1991) 23
Release of short-lived noble gases from HTGR fuel with failed coated fuel particles and contaminated matrix, T. Ogawa, F. Kobayashi, T. Tobita, K. Fukuda, T. Saitoh, I. Yokouchi and M. Ohata 132 (1991) 31
A model of failure criteria based on the bifurcation theory for nuclear fuel element cladding, S. Mehedinteanu, L. Deaconu and D. Chirlesan 132 (1991) 133
Theoretical evaluation of rifled cladding for LWR fuel, R.O. Montgomery, Y.R. Rashid and N. Kjaer-Pedersen 132 (1992) 309

Nuclear safety

Developments of metallic materials and a high-temperature structural design code for the HTTR, K. Hada, I. Nishiguchi, Y. Muto and H. Tsuji 132 (1991) 1
Application of new design methodologies to very high-temperature metallic components of the HTTR, K. Hada, M. Ohkubo and O. Baba 132 (1991) 13
Graphite core structures and their structural design criteria in the HTTR, T. Iyoku, S. Shiozawa, M. Ishihara, T. Arai and T. Oku 132 (1991) 23
Safety characteristics of the High Temperature engineering Test Reactor, M. Shindo, F. Okamoto, K. Kunitomi, S. Fujita and K. Sawa 132 (1991) 39
Design criteria for prestressed concrete pressure vessels for High Temperature Reactors, K. Schimmelpfennig 132 (1991) 53
The HTR-module pressure vessel unit; design criteria and safety philosophy, G. Neumann, K. Heidt, K. Dumm and H. Rothfuß 132 (1991) 63
Structural design criteria for HTR – a summary report, F. Schubert, H. Nickel and G. Breitbach 132 (1991) 75
Testing, verification and application of CONTAIN for severe accident analysis of LMFBR-containments, J. Langhans 132 (1991) 101
Effects of heat treatments on the stress corrosion cracking of alloy 600 in high temperature waters, J. Congleton, B. Hemsworth, R.N. Parkins and P.M. Singh 132 (1991) 119
Three-dimensional thermoelastic analysis of a cylindrical pipe with an internal surface crack under convection cooling, W.H. Chen and C.C. Huang 132 (1991) 143
Erosion behavior of solid plate by a liquid jet – Effect of molten layer, A. Furutani, S. Imahori, K. Sato and M. Saito 132 (1991) 153
Melting attack of solid plates by a high temperature liquid jet [II] – Erosion behavior by a molten metal jet, K. Sato, A. Furutani, M. Saito, M. Isozaki, K. Suganuma, S. Imahori 132 (1991) 171
Pool-boiling/bubbling void fraction in an annular flow channel, Y. Koizumi, H. Kumamaru, Y. Mimura, H. Murakami and K. Tasaka 132 (1992) 381